TECHNICAL MANUAL

TRANSPORTABILITY GUIDANCE

CLEAN BURNING DIESEL (CBD) FORKLIFT, PNEUMATIC TIRES:

4,000- (4K-) POUND CAPACITY (NSN 3930-01-172-7891)

6,000- (6K-) POUND CAPACITY (NSN 3930-01-172-7892)

HEADQUARTERS, DEPARTMENT OF THE ARMY
JANUARY 1989

Technical Manual

No. TM 55-3930-650-14

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC, *3 January 1989*

TRANSPORTABILITY GUIDANCE CLEAN BURNING DIESEL (CBD) FORKLIFT, PNEUMATIC TIRES: 4,000- (4K-) POUND CAPACITY (NSN 3930-01-172-7891) 6,000- (6K-) POUND CAPACITY (NSN 3930-01-172-7892)

		Paragraph	*Page*
Chapter	1. INTRODUCTION		
	Purpose and Scope	1-1	1-1
	Safety	1-2	1-1
	Definitions of Warnings, Cautions, and Notes	1-3	1-1
	Reporting of Publication Improvements	1-4	1-1
Chapter	2. TRANSPORTABILITY DATA		
Section	I. GENERAL		
	Scope	2-1	2-1
	Description	2-2	2-1
	Transportability Drawings	2-3	2-1
	II. CHARACTERISTICS AND RELATED DATA		
	General Transportability Characteristics	2-4	2-1
	Reduced Configuration	2-5	2-2
	Unusual Characteristics	2-6	2-2
	Hazardous and Dangerous Characteristics	2-7	2-2
Chapter	3. SAFETY		
	General Safety Precautions	3-1	3-1
	Specific Safety Requirements	3-2	3-1
Chapter	4. AIR TRANSPORTABILITY GUIDANCE		
Section	I. GENERAL		
	Scope	4-1	4-1
	Maximum Use of Aircraft	4-2	4-1
	Safety	4-3	4-1
	Preparation of Forklifts	4-4	4-1
	Transport by U.S. Air Force Cargo Aircraft	4-5	4-1
Chapter	5. HIGHWAY TRANSPORTABILITY GUIDANCE		
Section	I. GENERAL		
	Scope	5-1	5-1
	Safety	5-2	5-1
	II. TRANSPORT BY SEMITRAILER/TRUCK		
	General	5-3	5-1
	Loading on Semitrailer/Cargo Truck	5-4	5-1
Chapter	6. MARINE AND TERMINAL TRANSPORTABILITY GUIDANCE		
Section	I. GENERAL		
	Scope	6-1	6-1
	Safety	6-2	6-1
	Water Shipment	6-3	6-1
	II. LOADING AND SECURING		
	General Rules	6-4	6-1
	Special Design Ships	6-5	6-4
	Barges and Lighters	6-6	6-4
	Landing Ships, Landing Craft, and Amphibian Vehicles	6-7	6-5
Chapter	7. RAIL TRANSPORTABILITY GUIDANCE		
Section	I. GENERAL		
	Scope	7-1	7-1
	Safety	7-2	7-1
	Maximum Use of Railcars	7-3	7-1

		Paragraph	Page
	II. TRANSPORT ON CONUS RAILWAYS		
	General	7-4	7-1
	Preparation for Loading	7-5	7-1
	Loading on General-Purpose Flatcars	7-6	7-1
	Loading on Special-Purpose Flatcars	7-7	7-4
	III. TRANSPORT ON FOREIGN RAILWAYS		
	General	7-8	7-4
	Transport on Foreign Service Flatcars	7-9	7-5
APPENDIX	REFERENCES		A-1

LIST OF ILLUSTRATIONS

Figure	Title	Page
2-1	Clean burning diesel forklift, 4,000- (4k-) pound-capacity, Hyster Co, model H40XL	2-3
2-2	Clean burning diesel forklift, 6,000- (6k-) pound-capacity, Hyster Co, model H60XL	2-4
4-1	Typical tiedown for a forklift in C-130 aircraft	4-2
5-1	Blocking and tiedown of 4k and 6k forklifts on a flatbed semitrailer	5-3
5-2	Blocking and tiedown details for 4k and 6k forklifts on a flatbed semitrailer	5-4
6-1	Lifting the clean burning diesel forklift, 4k-pound capacity, Hyster Co, model H40XL	6-2
6-2	Lifting the clean burning diesel forklift, 6k-pound capacity, Hyster Co, model H60XL.	6-3
6-3	Typical blocking and tiedown of 6k-pound capacity CBD forklift in general-cargo vessel	6-6
7-1	Blocking and tiedown of typical forklift on CONUS general-purpose flatcar	7-2
7-2	Blocking and tiedown detail diagram	7-3
7-3	Tiedown diagram of typical forklift on CONUS HTTX or similar types of flatcars (side and rear views).	7-6

LIST OF TABLES

Table	Title	Page
5-1	Bill of Materials for Blocking and Tiedown of 4k or 6k CBD Forklifts on a Flatbed Semitrailer (Figs 5-1 and 5–2)	5-1
5-2	Application of Materials for Blocking and Tiedown of the 4k or 6k CBD Forklifts on a Flatbed Semitrailer (Figs 5-1 and 5-2)	5-2
6-1	Bill of Materials for Blocking and Tiedown of 6k CBD Forklift	6-4
6-2	Application of Materials for Blocking and Tiedown of the 6k CBD Forklift in General-Cargo Vessel (Fig 6-3)	6-4
7-1	Bill of Materials for Blocking and Tiedown of a Typical Forklift on CONUS General-Purpose Flatcar (Figs 7-1 and 7-2)	7-1
7-2	Application of Materials for Blocking and Tiedown of a Typical Forklift on CONUS General-Purpose Flatcar (Figs 7-1 and 7-2)	7-4
7-3	Application of Chain Tiedowns for Securing Forklifts on Conventional Wooden Deck Chain-Tiedown Flatcar (Fig 7-3)	7-4

CHAPTER 1
INTRODUCTION

1-1. Purpose and Scope

a. This manual provides transportability guidance for logistical handling and movement of the 4,000- (4k-) and 6,000- (6k-) pound-capacity, clean burning diesel (CBD) forklifts.

b. This manual provides transportation officers and all other personnel responsible for movement or transportation services with appropriate information for safe transport of these forklift trucks. It contains significant technical and physical characteristics, as well as safety considerations, required for worldwide movement of the forklifts by various transport modes. Where appropriate, metric equivalents are in parentheses following the dimensions or other measurements.

1-2. Safety

Appropriate precautionary measures for moving the item are mainly in chapter 3.

1-3. Definitions of Warnings, Cautions, and Notes

Throughout this manual, warnings, cautions, and notes emphasize important or critical guidance. Their definitions are:

a. Warning. Instructions that, if not followed, could result in injury to or death of personnel.

b. Caution. Instructions that, if not strictly observed, could result in damage to or destruction of equipment.

c. Note. An operating procedure that should receive special attention.

1-4. Reporting of Publication Improvements

Please recommend changes and submit comments to improve this manual on DA Form 2028 (Recommended Changes to Publications and Blank Forms). Send comments to Commander, Military Traffic Management Command Transportation Engineering Agency, ATTN: MTT-TRS (Mr. M. Hutchinson), PO Box 6276, Newport News, VA 23606–0276. Address electrically transmitted messages to CDR MTMCTEA FT EUSTIS VA//MTT-TRS//.