

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL MAINTENANCE MANUAL

BAKERY PLANT, MOBILE M-1945

FSN 7360-221-2418

This copy is a reprint which includes current pages from Changes 2 through 7.
--

HEADQUARTERS, DEPARTMENT OF THE ARMY

MARCH 1961

AGO 5023A

TECHNICAL MANUAL

No. 10-7360-201-20

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D.C., 17 March 1961**Organizational Maintenance Manual****BAKERY PLANT, MOBILE, M-1945
(FSN 7360-221-2418)**

	Paragraphs	Page
CHAPTER 1. INTRODUCTION		
Section I. General	1-4	2
II. Description and data	5, 6	3
CHAPTER 2. SERVICE UPON RECEIPT OF EQUIPMENT	7-10	4
3. MAINTENANCE INSTRUCTIONS		
Section I. Lubrication	11,12	5
II. Preventive maintenance services	13,14	31
III. Troubleshooting	15, 16	31
IV. Mixing and makeup outfit trailer	17-51	36
V. Divider	52-71	61
VI. Mixer	72-96	69
VII. Molder	97-121	75
VIII. Monorial system	122-124	80
IX. Oven trailer	125,126	81
X. Oven machinery	127-160	82
XI. Proofing cabinet	161-169	95
XII. Flour sifter	170-183	98
CHAPTER 4. SHIPMENT, LIMITED STORAGE, AND DEMOLITION		
Section I. Shipment and limited storage	184-186	101
II. Demolition	187,188	102
APPENDIX I. REFERENCES		103
II. MAINTENANCE ALLOCATION CHART.....		104
INDEX		113

* This manual supersedes so much of TM 10-1699A, 1 February 1950, including C 1, 7 March 1952; C 2, 13 January 1953; C 3, 26 May 1955; TM 10-1699C, 14 October 1949, including C 1, 14 May 1953; C 2, 14 November 1955; and C 3, 16 March 1956; TM 10-1699D, 29 June 1951; and TM 10-1699E, 20 November 1951, including C 1, 14 May 1953, as pertaining to organizational (second echelon) maintenance.

CHAPTER 1

INTRODUCTION

Section I. GENERAL

1. Scope

a. These instructions are published for the use of personnel responsible for the organizational (second echelon) maintenance of the Bakery Plant, Mobile (FSN 7360-221-2418), consisting of:

- 3 Bakery Ovens, Trailer-Mounted (FSN 7310-215-5260 or 7310-255-8068);
- 1 Dough Mixing and Makeup Outfit, Trailer-Mounted (FSN 7320-255-7769 or 7320-215-5256);
- 3 Cabinets, Dough-Proofing (FSN 7320-215-5189 or 7320-298-1380);
- 1 Sifting Machine, Flour, Electric (FSN 7320-221-2386);
- 2 Generator Sets (FSN 6115-295-0881, 6115-581-9317, or 6115-295-0880); and various accessories.

b. No information for the generators will be given in this manual. Technical manuals giving complete instructions on the second echelon maintenance of the generators are listed in DA Pam 310-4.

c. Users of this manual are encouraged to submit recommended changes or comments to improve the manual. Comments should be keyed to the specific page, paragraph, and line of the text in which the change is recommended. Reasons should be provided for each comment to insure understanding and complete evaluation. Comments should be forwarded direct to Commanding General, Quartermaster Training Command, US Army, Fort Lee, Va.

2. References

- a. Appendix I contains a list of current references.
- b. Appendix II contains the Maintenance Allocation Chart.

c. A list of repair parts and special tools authorized for second echelon maintenance will be published in TM 10-7360-201-20P.

3. Forms and Records

a. DA Form 10-46 (Registration and Historical Service Record of Materials Handling Equipment (Powered) and Special-Purpose Vehicles).

b. DA Form 10-103 (Worksheet for Special Purpose Vehicles and Equipment; Inspections and Preventive Maintenance Services).

c. DA Form 468 (Unsatisfactory Equipment Report).

d. DA Form 460 (Preventive Maintenance Roster).

e. DA Form 478 (Organizational Equipment File).

f. DA Form 811 (Work Request and Job Order).

g. DD Form 6 (Report of Damaged or Improper Shipment).

h. DD Form 314 (Preventive Maintenance Schedule and Record).

4. Orientation

a. *Trailers.* When the terms right, left, front, and rear are used in connection with the dough mixing and makeup outfit trailers and the oven trailers, they indicate positions from the viewpoint of the operators sitting in the towing vehicles.

b. *Proofing Cabinet.* When the terms right, left, front, and rear are used in connection with the proofing cabinet, they indicate positions from the viewpoint of the operator facing the cabinet doors and having the control panel and indicator light on his left.

c. *Flour Sifter.* When the terms *right*, *left*,