

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

FIELD AND DEPOT MAINTENANCE MANUAL
BAKERY PLANT, MOBILE
FSN 7360-221-2418

This copy is a reprint which includes current
pages from Changes 2 through 4.

HEADQUARTERS, DEPARTMENT OF THE ARMY
OCTOBER 1961

TECHNICAL MANUAL

No. 10-7360-201-385

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D.C., 9 October 1961

FIELD AND DEPOT MAINTENANCE MANUAL

BAKERY PLANT, MOBILE

FSN 7360-221-2418

		Paragraph	Page
CHAPTER	1. INTRODUCTION		
Section	I GENERAL		
	Scope	1	3
	References	2	3
	Forms and records.....	3	3
	Orientation.....	4	3
	II DESCRIPTION AND DATA		
	Description.....	5	3
	Tabulated data.....	6	3
CHAPTER	2. MAINTENANCE INSTRUCTIONS		
Section	I MIXING AND MAKEUP OUTFIT TRAILER		
	Brakeshoe linings	7	5
	Brakedrum	8	5
	Backing plate	9	5
	Hub	10	5
	Axle	11	5
	Mixer, divider, and molder electric motors	12	5
	Monorail truck wheel assembly	13	5
	II DIVIDER ASSEMBLY		
	Divider assembly	14	7
	Divider duster bearings	15	8
	Divider scale	16	8
	Conveyor drive gear with pulley, pinion, shafts, and bearings	17	8
	Conveyor idler pulley bearings.....	18	8
	Divider crankshaft and related parts.....	19	11
	Divider compression springs and related parts	20	11
	Divider cylinder assembly	21	11
	Dough box assembly	22	14
	Divider gear reduction unit.....	28	14
	III MIXER ASSEMBLY		
	Mixer assembly.....	24	17
	Mixer bowl assembly.....	25	17
	Mixer bowl dump assembly.....	26	18
	Mixer gear reduction unit	27	20
	IV MOLDER ASSEMBLY		
	Molder assembly	28	23
	Molder duster bearings	29	23
	Molder sheeting rolls-and-conveyor drive shaft and bearings	30	23
	Molder sheeting roll shaft assembly and bearings	31	25
	Molder sheeting roll adjusting shaft bearings	32	25

*This manual supersedes so much of TM 10-1699A, 1 February 1950, including C 1, 7 March 1952, C 2, 13 January 1953, and C 3, 26 May 1955; TM 10-1699C, 14 October 1949, including C 1, 12 May 1953, C 2, 14 November 1955, and C 3, 16 May 1956; TM 10-1699D, 29 June 1951; and TM 10-1699E, 20 November 1951, including C 1, 14 May 1953, as pertains to field and depot maintenance.

		Paragraph	Page
Section	V. OVEN TRAILER		
	Brakedrum.....	33	25
	Hub.....	34	25
	Axle.....	35	25
	Oven blower motor assembly	36	25
	VI. OVEN MACHINERY		
	Temperature control	37	25
	Combustion tunnel	38	27
	VII. PROOFING CABINET AND FLOUR SIFTER		
	Proofing cabinet thermostatic switch.....	39	28
	Flour sifter electric motor	40	29
	Flour sifter counterbalanced sheave assembly	41	29
	Sieve frame hanger rods.....	42	29
Appendix	REFERENCES		35

CHAPTER 1 INTRODUCTION

Section I. GENERAL

1. Scope

a. These instructions are published for the use of personnel responsible for field (third and fourth echelon) and depot (fifth echelon) maintenance of the Bakery Plant, Mobile (FSN 7360-221-2418), consisting of:
3 Bakery Ovens, Trailer-Mounted (FSN 7310-215-5260 or 7310-255-8068);
1 Dough Mixing and Makeup Outfit, Trailer Mounted (FSN 7320-2557769 or 7320-215-5256);
3 Cabinets, Dough-Proofing (FSN 7320215-5189 or 7320-298-1380);
1 Sifting Machine, Flour, Electric (FSN 7320-221-2386);
2 Generator Sets (FSN 6115-295-0881, 6115-581-9317, or 6115-295-0880); and
Various accessories.

b. Technical manuals giving complete instructions for the field and depot maintenance of the generators are listed in DA Pam 310-4.

2. References

- a. Appendix I contains a list of current references.
- b. The maintenance allocation chart is published in TM 10-7360-201-20.
- c. The repair parts and special tools lists are published in TM 10-7360-201-35P.

3. Forms and Records

- a. DA Form 829 (Rejection Memorandum).

b. DA Form 1510 (Maintenance Readiness and Field Maintenance Costs).

c. DA Form 1546 (Request for Issue and Turn-In).

d. DA Form 2028 (Recommended Changes to DA Technical Manual Parts Lists or Supply Manual 7, 8, or 9).

e. DA Form 9-80 (Job Order File).

f. DA Form 9-81 (Exchange Part or Unit Identification Tag).

4. Orientation

a. Trailers. When the terms right, left, front, and rear are used in connection with the dough mixing and makeup outfit trailers and the oven trailers, they indicate positions from the viewpoint of the operator sitting in the towing vehicle.

b. Proofing Cabinet. When the terms right, left, front, and rear are used in connection with the proofing cabinet, they indicate positions from the viewpoint of the operator facing the cabinet doors and having the control panel and pilot light on his left.

c. Flour Sifter. When the terms right, left, front, and rear are used in connection with the flour sifter, they indicate directions with the manual starting switch considered the front, the discharge hopper door, the rear; the motor side, the left; and the reject hopper door, the right.

Section II. DESCRIPTION AND DATA

5. Description

For information describing the major components of the mobile bakery plant, refer to TM 10-7360-201-10.

6. Tabulated Data

For tabulated data on the major components of the mobile bakery plant, refer to TM 107360-201-10 and TM 10-7360-201-20).