TM 11-5805-634-14

TECHNICAL MANUAL

OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE MANUAL

AMPLIFIER-OSCILLATOR, TELEPHONE TA-909(V)1/GTC AND AMPLIFIER-OSCILLATOR, TELEPHONE TA-909(V)2/GTC

HEADQUARTERS, DEPARTMENT OF THE ARMY
AUGUST 1973

NOTE

This technical manual is an authentication of the manufacturer's commercial literature and does not conform with the format and content specified in AR 310-3, Military Publications. This manual does, however, contain available information that is essential to the operation and maintenance of the equipment.

TECHNICAL MANUAL
No. 11-5805-634-14

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON DC, *10 August 1973*

OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE MANUAL FOR AMPLIFIER-OSCILLATOR, TELEPHONE TA-909(V)1/GTC NSN 5805-00-093-5842) AND AMPLIFIER-OSCILLATOR, TELEPHONE TA-909(V)2/GTC (NSN 5805-00-093-5826)

			Page
CHAPTER A.		Introduction	1
	1.	Purpose and basic principles of models 2571D and E	3
	2.	Purpose and basic principles of Oscillator Audio Frequency Model 70794	13
	3.	Purpose and basic principles of the 2600-Hz keyer	27
	4.	Purpose and basic principles of the model 26B Power Amplifier Module	37
	5.	Purpose and basic principles of extender board model MC10064-08	57
APPENDIX A.		MAINTENANCE ALLOCATION	63



FIGURE 1. AMPLIFIER-OSCILLATOR TELEPHONE TA 909(V)/GTC.

Figure 1. Amplifier-Oscillator, Telephone TA-909(V)/GTC.

CHAPTER A
INTRODUCTION

A.0 SCOPE

A.01 DESCRIPTION

This manual describes Amplifier-Oscillator, Telephone TA-909(V)l/GTC and Amplifier-Oscillator, Telephone TA-909(V)2/GTC hereinafter referred to as Singer-Telesignal Models 2571D and 2571E respectively. This manual covers the equipments installation, operation, and organizational direct and general support maintenance.

A.02 FORMS AND RECORDS

Reports of Maintenance and Unsatisfactory Equipment. Maintenance forms, records, and reports which are to be used by maintenance personnel at all maintenance levels are listed in and prescribed by TM 38-750.

Report of Packaging and Handling Deficiencies. Fill out and forward DD Form 6 (Packaging Improvement Report) as prescribed in AR 700-58/NAVSUPINST 4030.29/AFR 71-13MCO P4030.29A, and DLAR 4145.8.

Discrepancy in Shipment Report (DISREP) (SF 361). Fill out and forward Discrepancy in Shipment Report (DISREP) (SF 361) as prescribed in AR 56-38/NAVSUPINST 4610.33B/AFR 75-18/MCO P4610.19C and DLAR 4500.15.

A.03 REPORTING OF ERRORS

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Communications and Electronics Materiel Readiness Command, ATTN: DRSEL-MA-Q, Fort Monmouth, New Jersey 07703.

A.04 REPORTING EQUIPMENT IMPROVEMENT RECOMMENDATIONS (EIR)

EIR's will be prepared using **DA Form 2407** (Maintenance Request.) Instructions for preparing EIR's are provided in TM 38-750, The Army Maintenance Management **System. EIR's should** be mailed direct to Commander, U.S. Army Communications and Electronics Materiel Readiness **Command, ATTN: DRSEL-MA-Q, Fort Mon**mouth, New Jersey 07703. A reply will be sent direct to you.

A.05 DESTRUCTION OF ARMY ELECTRONICS MATERIEL

Destruction of Army electronics materiel **to pre**vent enemy use shall be **in accordance with TM 750-244-2.**