

TECHNICAL MANUAL

**OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT
AND GENERAL SUPPORT MAINTENANCE
MANUAL INCLUDING REPAIR PARTS LIST
FOR**

**BOOTH, SPRAYING
MODEL 225A
INLAND MFG. CO.
(NSN 4940-00-078-4126)**

**HEADQUARTERS, DEPARTMENT OF THE ARMY
OCTOBER, 1981**

TECHNICAL MANUAL }

No. 9-4940-538-14&P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, 9 OCTOBER 1981

**Operator's, Organizational, Direct Support
And General Support Maintenance Manual
Including Repair Parts List
For
BOOTH, SPRAYING
Model 225A
NSN 4940-00-078-4126**

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2, located in the back of this manual direct to: Commander, US Army Armament Materiel Readiness Command, ATTN: DRSAR-MAS, Rock Island, IL 61299. A reply will be furnished directly to you.

NOTE

This manual is published for the purpose of identifying an authorized commercial manual for the use of the personnel to whom this equipment is issued.

Manufactured by: Inland Manufacturing Co.
1108 Jackson St.
Omaha, NB 68102

Procured under Contract No. DAAA09-79-F-8110

This technical manual is an authentication of the manufacturers' commercial literature and does not conform with the format and content specified in AR 310-3, Military Publications. This technical manual does, however, contain available information that is essential to the operation and maintenance of the equipment.

FLUSHING AND PAINT SPRAY BOOTH

	Page
1. Specifications	2
2. Installation	3
3. Installations Checkout	3
4. Operation	3
5. Preventative Maintenance.	4
Exploded View of Booth Mode 1225A	5
Parts List	6

FLUSHING AND PAINT SPRAY BOOTH

Your new spray booth will accommodate radiators and heater cores from automobiles, trucks, tractors and industrial equipment of any size that can be placed inside the cabinet. It is used for external pressure washing and internal pressure flushing after vat cleaning. It is also used for painting the radiator. The Flushing and Paint Spray Booth is equipped with exhaust fan and water curtain to reduce paint fumes and fire hazards.

This equipment is constructed of the highest quality material and is manufactured in accordance with

strict quality assurance standards. Developed from vast experience in this field, it is designed to serve you faithfully, economically and profitably for many years.

The information contained in this manual will help you take advantage of all the features built into your machine for increased production and profits in the radiator business. Please read the instructions carefully. If you have any questions regarding the installation or operation of this machine, do not hesitate to contact us immediately.